

Specification of the Invention

This is a drug representative/utility bag that may be used by pharmaceutical representatives in the field to keep their samples and literature organized and easily accessible. The bag does this by having multiple pockets of varying sizes that can be used to hold such items as pens, pad, detailing literature and detailing binder. The inside of the bag is designed with adjustable dividers. Drug representatives generally carry more than one kind of drug sample. Keeping these divided in the bag keeps the representatives organized and allows them to move at a quicker pace when sampling physicians. Since representatives are outdoors a lot, an umbrella and storage pocket are also provided in the event of inclement weather. There is a key ring attached at the handle for quick storage and retrieval of keys. The bag will have a drawstring closure and lightweight nylon flap with a small business card sized pocket on the underside. The bag is to be made of a durable solid canvas with expandable handle. The bottom of the bag is designed to fold so that the bag may be stored when not in use. There are 2 back wheels for easy mobility and 2 rubber stoppers on the front to help steady the bag for access. There is a rider clip at the top to allow for attaching other bags or totes to ride "piggy-back." There is also a 10" hard plastic stint at each corner of the bag to keep the bag more upright. Currently there is nothing on the market specifically designed for drug

representatives. Representatives are making due with makeshift bags which are designed for other uses.

The overall dimensions of the bag are 25”H x 15”W x 12”D. It will be available in 4 colors: black, royal blue, navy blue and red. There are 2 $\frac{1}{2}$ ” stoppers on each side of the bottom front of the bag. There are 5” wheels on each side of the bottom back of the bag. There is an up to 15” expandable/retractable handle and key hook attached from the handle for key storage and retrieval.

Application#: 10/798,734

Summary of the invention

FIG 1. – Front view

1. Pocket 14" W x 6" H with Velcro closure, 3" from the top and ½" from the left and right sides of the bag
2. Pocket 14" W x 10"H with Velcro closure, 3" from the bottom and ½" from the left and right sides of the bag
3. Umbrella pocket 4"W x 16"H, Velcro closure, 4 ½" from the top and bottom of the bag (centered), 4" from the left and right sides of the bag (centered)
4. Pocket 10"W x 6"H, Velcro closure, 3" from the top, 1" from the left and right sides of the bag.
5. Pocket 10"W x 10"H, Velcro closure, 3" from the bottom, 1" from the left and right sides of the bag
6. 15" high-density aluminum expandable/retractable handle
7. 2 ½" rubber stopper at the right front and left front of the bag

Application#: 10/798,734

FIG. 2 – Back view

3. Umbrella pocket 4”W x 16”H, Velcro closure, 4 $\frac{1}{2}$ ” from the top and bottom of the bag (centered), 4” from the left and right sides of the bag (centered)
4. Pocket 10”W x 6”H, Velcro closure, 3” from the top, 1” from the left and right sides of the bag.
5. Pocket 10”W x 10”H, Velcro closure, 3” from the bottom, 1” from the left and right sides of the bag
6. 15” high-density aluminum expandable/retractable handle
8. Pocket 14”W x 14”H, Velcro closure, $\frac{1}{2}$ ” from the left and right sides of the bag (centered) with an up to 4” expandable sides

FIG. 3 – Side view

4. Pocket 10”W x 10”H, Velcro closure, 3” from the top, 1” from the left and right sides of the bag (centered)
5. Pocket, 10”W x 6 $\frac{1}{2}$ ” H, Velcro closure, 3” from the bottom, 1” from the left and right sides of the bag (centered). Pocket will be stitched to divide into two 5” pockets.
6. 15” high-density aluminum expandable/retractable handle
7. 2 $\frac{1}{2}$ ” rubber stopper at the right front and left front of the bag

Application#: 10/798,734

FIG. 4 – Side view

3. Umbrella pocket 4”W x 16”H, Velcro closure, 4 $\frac{1}{2}$ ” from the top and bottom of the bag (centered), 4” from the left and right sides of the bag (centered)
6. 15” high density aluminum expandable/retractable handle
7. 2 $\frac{1}{2}$ ” rubber stopper at the right front and left front of the bag
9. 5” wheel

FIG. 5 – Inside top view

10. 2 Nylon padded dividers with Velcro attachments for adjustability, 23” in length, (*) denotes Velcro points. This will allow for the inside compartment to be divided into two (2), three (3), or four 4 sections.

FIG. 6 – Inside bottom

11. Nylon pull strap to collapse bag for storage
12. Split pressed particle board bottom.